



 **GREAT GULF**

**townhomes
features
& finishes**



townhomes features & finishes

GENERAL

1. All interior finishing materials are to be chosen with the assistance of Great Gulf Interior Design Consultants.
2. All materials and other selections for which the Purchaser is entitled to make a selection are to be chosen from Vendor's samples and are as per Vendor's specifications. Purchaser shall only be entitled to make such selections provided that the items are not already ordered or installed.
3. All exterior finishes and colours are selected by the Vendor and are subject to architectural control.

EXTERIORS

4. Homes are covered with Ontario New Home Warranties Plan Act warranty, enrolment fees and any regulatory oversight or other fees to be paid for by Purchaser on closing.
5. All model types will be principally brick and siding construction as per applicable model elevation.
6. Some sections of the house may be constructed of architectural stone, aluminium or vinyl siding, or PVC, stucco or composite material as per architectural detailing.
7. Soldier coursing, brick arches, keystones and other masonry detailing as per model / elevation, alternate material detailing as per model elevation.
8. All soffits, fascias, eaves and down pipes are prefinished aluminium or vinyl at the option of the Vendor.
9. Exterior house address number.
10. Self-sealing limited lifetime warranty laminate shingles.
11. Weather-stripping on all exterior doors and precast stone thresholds.
12. Fibreglass insulated front entry door and "steel-clad" side entry door (as per applicable model/elevation). Glass insert in front entry door, as per applicable/model elevation.
13. All sliding patio doors to be high performance, PVC, with low E glass (as per applicable model/elevation)
14. All windows are to be high performance, PVC with low-E glass. All operating windows are to be screened. All operable windows on the first and second floors will be casement throughout with decorative bars on the front elevation, as per applicable model/elevation.
15. All basement windows to be sliders, high performance, PVC, with low-E glass. Corrugated galvanized steel window wells may be required as per grading conditions. One (1) window in basement to be sized to allow for emergency means of egress, as per applicable model/ elevation.
16. Garage overhead steel/insulated door(s) with glass inserts as per applicable model/elevation.
17. All garage walls to be completed to drywall and primed.
18. Front, rear and side yards, if applicable to be fully sodded. Some side yards to be stone, as per grading conditions.
19. Concrete front entry steps, as per grading conditions.
20. Precast concrete slab walkway to front entry.
21. Exterior cold water tap installed in attached garage and at rear of house, as per applicable model/elevation.
22. Basement to be poured concrete with a drainage layer system and a damp protecting footing barrier membrane.
23. Vendor will provide a two-coat asphalt driveway at a cost more particularly set out in the Schedule B to the Agreement of Purchase and Sale. Driveway surface to be paved with base coat asphalt within eighteen (18) months of closing and the topcoat to be completed within the next calendar year. Vendor not responsible for minor settlement.

24. All exterior walls, interior partitions and flooring are built using H+ME Technology.

INTERIORS

25. Approximately 9 ft. ceiling heights on the main floor and 8 ft. ceilings on second floor, except where precluded by bulkheads.
26. Finished oak stairs and railings, metal pickets on main floor staircase to second floor with a choice of stain from vendor's standard selection.
27. Two panel square style interior doors.
28. 2 3/4" casings on all windows and doors
29. 4 1/4" baseboards (with shoe mould in tiled and hardwood areas)
30. All closets to have wire shelving.
31. Satin nickel coloured finish hardware on all interior and exterior doors. Deadbolt on side door entry where applicable. Grip set with dead bolt on main entry door, and single lever handles on interior doors.
32. One (1) paint colour throughout the house. All paint is Zero VOC.
33. Sprayed stippled ceiling with smooth border in all rooms except the kitchen, bathrooms and laundry room, which are smooth finish.

FLOORING

34. High performance engineered flooring system "I" – joists.
35. O.S.B. Tongue and groove sub floor glued, nailed, and sanded.
36. 7 1/4" Strip laminate flooring with choice of colour from vendors standard selection, in all areas of the main floor and second floor hallway, except where shown as tile, as per applicable model/elevation.
37. 40 oz broadloom carpet with choice of colour from vendors standard selection, in all bedrooms, as per applicable model/elevation
38. Laminate flooring will be laid from the front of the house to the back
39. Floor tile approx. 12" x 24" in foyer, and all bathrooms, or as shown on applicable model/elevation. Laundry area to be tiled.

KITCHEN

40. Choice of finished kitchen cabinets with a dishwasher opening.
41. Single lever chrome high efficiency faucet with a pull-down sprayer.
42. 2cm engineered quartz countertops for kitchen with a square edge (No backsplash) and a double stainless steel undermount sink.
43. Stainless Steel ducted range hood fan over stove.
44. Rough-in plumbing and electrical outlet for dishwasher.
45. Wiring and receptacle for stove.
46. Electrical outlets are located for fridge and at counter level for small appliance
47. Kitchen to include 30" stainless top freezer refrigerator, a 30" stainless self-clean, glass top range, a stainless built-in dishwasher.

BATH/PLUMBING

47. Choice of vanity cabinets and laminate countertops with a white oval drop-in sink in all bathrooms.
48. All bathroom(s) to have a wall-mounted mirror and vanity

- cabinet as per applicable model / elevation.

49. Ensuite bathroom to have a wall mounted mirror and vanity cabinet with one top drawer as per applicable model/elevation.
50. Master ensuite bathroom for Towns to contain a 36" x 60" preformed shower base with framed glass shower enclosure, walls to be tiled to ceiling, per applicable model/elevation, including waterproof pot light.
51. All secondary bathtub enclosure walls in bathrooms to be tiled.
52. All secondary bathtubs to be white acrylic, as per applicable model/elevation.
53. High efficiency toilets are to be white and regular height.
54. Exhaust fan in all bathrooms, vented to the exterior.
55. Privacy locks on all bathroom doors.
56. Single lever chrome high efficiency faucets on all sinks, with low flow efficiency, except laundry tub.
57. Temperature control valves in all showers.
58. Chrome towel bar and toilet paper dispenser in all bathrooms.
59. Main floor powder room to contain a floating vanity cabinet with laminate countertop, a white oval drop-in sink, toilet and wall-mounted mirror.
60. Shut off valves for all sinks and toilets.
61. All water lines to be polyethylene tubing throughout.
62. Rough-in three-piece plumbing in basement for future bathroom (drains only, no water lines).
63. Sump pump provided in all basements.

LAUNDRY

64. Second floor laundry closet/laundry room equipped with floor drain as per applicable model/elevation.
65. Laundry closet to accommodate a stacked washer and dryer only, or laundry room to have a laundry tub or a base cabinet with built-in single compartment laundry tub with a two-handle laundry faucet and laminate counter-top, as per applicable model/elevation.
66. Plumbing and electrical outlet for future washing machine.
67. Dryer vent and electrical outlet for future dryer.
68. Laundry room to include White washer & dryer (stackable)

ELECTRICAL

69. 200 amp. electrical service.
70. Copper electrical wiring throughout.
71. Electric light fixtures with LED bulbs provided in all rooms except living room, as per applicable model/elevation.
72. Exterior cast aluminium lights with LED bulbs at all exterior doors, as per applicable model/elevation.
73. Two exterior waterproof ground fault circuit interrupter (GFI) electrical outlets: one (1) at the rear of the house and one (1) in the porch area.
74. White decora style switches throughout.
75. Electrical outlet for future garage door opener(s). One outlet for each garage door.
76. Smoke detectors with strobe light hard wired to the electrical system, as per applicable code requirements.
77. Combination smoke detector / carbon monoxide detector hard wired to the electrical system, as per applicable code requirements.
78. Doorbells to be installed at front entry /side entry doors as per applicable model.

79. Rough-in vacuum system, located in the basement for future connection as per applicable model/elevation.

80. Rough-in RG6 cable in family room, master bedroom, loft and study/den, as per applicable model/elevation.
81. Rough-in CAT5 telephone as per Vendor's specifications (one in kitchen, family room, all bedrooms, and den).
82. Rough-in conduit for future installation of an electric vehicle charger located in the garage.
83. A single ground fault interrupter (GFI) protected electrical outlet in all bathrooms.

HEATING, AIR CONDITIONING & INSULATION

84. Direct vent gas-fired high-efficiency forced air furnace with ECM (Electronically Commutated Motor) and includes a programmable thermostat installed. Hot water heater on a rental basis. Note: All mechanical equipment locations may vary from plan.
85. Heat Recovery Ventilator (HRV) as per the Ontario Building Code requirements
86. HVAC ducts are sized for future addition of air conditioning.
87. All insulation to be as per the Ontario Building Code requirements.
88. Basement insulation to be installed to within approximately 8" above the basement slab in the basement area. Note: Basement walls are not strapped.
89. Spray foam insulation to garage ceiling below any habitable space above.

GENERAL PROVISIONS

90. The Purchaser hereby acknowledges and agrees that due to grading, drainage, building code requirements or other conditions or issues, the Vendor, in its sole discretion, may make changes to modify the floorplan, add and/or eliminate doors or steps without adjustment to the purchase price and without further notice to the Purchaser, including without limitation:
 - a. Eliminating the door between the garage and the laundry/utility room;
 - b. Eliminating the side door;
 - c. Installing step(s) with or without a railing in the garage due to different grading may interfere with or limit the use of the interior of the garage;
 - d. Lowering or creating a step down into the laundry/utility room to accommodate the garage door and/or side door to the laundry/utility room;
 - e. Installing a deck depending upon the grading requirements for that particular lot;
 - f. Entry steps may be required, varied, and/or eliminated to the house due to grading conditions.
91. The Purchaser acknowledges that finishing materials contained in any model home or sales office display including but not limited to, broadloom, furniture, electrical fixtures, drapes, ceramic flooring, upgrades kitchen cabinets, stained staircases, railing, wallpaper, paint, landscaping and fencing, may be for display purposes only and may not be of the same grade or type, or may not be included in the dwelling unit purchased herein.
92. Interior design consultation at The Design Studio on all finishes and colour packages included in purchase price. All interior floor, wall finishes, and materials are to be chosen with the assistance of the Vendors Interior Design Consultant. All materials and other selections for which the Purchaser is entitled to make a selection are to be chosen from Vendors samples, and are as per Vendor's specifications. Purchaser shall only be entitled to make such selections provided that the items are not already ordered or installed.

93. Purchaser acknowledges the right reserved and/or easement in favour of the Vendor permitting entry for installation of berms, fences and/or landscaping, and the purchaser further acknowledges their undertaking to maintain the berms, fences and/or landscaping after installation.

94. The Purchaser acknowledges that the Vendor will only replace any obvious floor tile damages caused by settlement within the first year of closing, provided the Vendor is able to match the floor tile dye lots, colours and/or designs.
95. The Purchaser understands that the engineered flooring system comprises of some natural components and is subject to environmental factors. Indoor and outdoor humidity levels may influence its appearance by way of cupping and/or shrinkage of this material.
96. The purchaser acknowledges that all features are as per applicable plan and are not standard on all plan types.
97. The Vendor shall have the right to at any time without notice to the Purchaser substitute other products and materials for those listed in this Schedule 'A' or provided for in the plans and specifications, provided that the substituted products and materials are of a quality equal to or better than the products and materials so listed or being substituted.
98. Natural or natural simulated or broadloom products (i.e. wood, granite, stone, marble, laminate, engineered flooring, carpeting etc.) are subject to variations in shade, appearance, colour, grain and texture from samples displayed and the Purchaser agrees to accept same notwithstanding any such variations.
99. Due to the nature or the natural grain in wood and the manual process in which stain is applied, there may be some variation in finished colour and texture from prefinished hardwood, including without limitation, stairs, railings, nosings, trim, and pickets.
100. The Purchaser acknowledges that there shall be no reduction in the purchase price or credit for any standard feature listed herein which is omitted at the Purchaser's request.

101. References to model types or model numbers refer to current manufacturer's models. If these types or models shall change, the Vendor shall provide a product of equal or better quality.
102. All dimensions, if any, are approximate, and are subject to change without notice.
103. All specifications and materials are subject to change without notice.
104. Pursuant to this Agreement, including this Schedule or pursuant to a supplementary agreement or purchase order, the Purchaser may have requested the Vendor to construct an additional feature within the dwelling unit which is in the nature of an optional extra (such as, by way of example only, a media station). If, as a result of building, construction or site conditions, the Vendor is not able to construct or does not construct such extra, then the Vendor may, by written notice to the Purchaser, terminate the Vendor's obligation to construct the extra. In such event, the Vendor shall refund to the Purchaser the monies, if any, paid by the Purchaser to the Vendor in respect of such extra, without interest and in all other respects this Agreement shall continue in full force and effect.
105. Floor and specific features will depend on the Vendor's package as selected.
106. Unless specifically provided for in the purchase agreement, kitchen and laundry appliances, including without limitation, washer/dryer, stove, dishwasher and refrigerator, are not included in the purchase price.
107. Actual useable floor space may vary from stated floor area(s).
108. Errors and Omissions Excepted
109. This Schedule 'A' is subject to the terms and conditions of the Agreement, including Schedule 'B'.


 **GREAT GULF LIVE GREATLY**
greatgulf.com

BLM1A - Towns March 4, 2021

ALL ITEMS SHOWN ARE AS PER APPLICABLE MODEL. All materials and other selections for which the Purchaser is entitled to make a selection are to be chosen from Vendor's samples and are as per Vendor's specifications. All materials are subject to change without notice. Illustrations are artist's concept. E. & O.E. All plans and specifications are approximate. Actual usable floor space varies from stated floor area. Refer to Schedule A in Agreement of Purchase and Sale for full list of general provisions. Note: Actual usable floor space may vary from the stated floor area.



 **GREAT GULF**



semis features & finishes

GENERAL

- All interior finishing materials are to be chosen with the assistance of Great Gulf Interior Design Consultants.
- All materials and other selections for which the Purchaser is entitled to make a selection are to be chosen from Vendor's samples and are as per Vendor's specifications. Purchaser shall only be entitled to make such selections provided that the items are not already ordered or installed.
- All exterior finishes and colours are selected by the Vendor and are subject to architectural control.
- Homes are covered with Ontario New Home Warranties Plan Act warranty; enrolment fees and any regulatory oversight or other fees to be paid for by Purchaser on closing.

EXTERIORS

- All model types will be principally brick and siding construction as per applicable model elevation.
- Some sections of the house may be constructed of architectural stone, aluminium or vinyl siding, or PVC, stucco or composite material as per architectural detailing.
- Soldier coursing, brick arches, keystones and other masonry detailing as per model / elevation, alternate material detailing as per model elevation.
- All soffits, fascias, eaves and down pipes are prefinished aluminium or vinyl at the option of the Vendor.
- Exterior house address number.
- Self-sealing limited lifetime warranty laminate shingles.
- Weather-stripping on all exterior doors and thresholds.
- Fibreglass insulated front entry door and optional "steel-clad" side entry door (as per applicable model/elevation). Glass insert in front entry door, as per applicable/model elevation.
- All sliding patio doors to be high performance, PVC, with low E glass (as per applicable model/elevation)
- All windows are to be high performance, PVC, with low-E glass. All operating windows are to be screened. All operable windows on the first and second floors will be casement throughout with decorative bars on the front elevation, as per applicable model/elevation.
- All basement windows to be sliders, high performance, PVC, with low-E glass. Corrugated galvanized steel window wells may be required as per grading conditions. One (1) window in basement to be sized to allow for emergency means of egress, as per applicable model/ elevation.
- Garage overhead steel/insulated door(s) with glass inserts as per applicable model/elevation.
- All garage walls to be completed to drywall and primed.
- Front, rear and side yards, if applicable to be fully sodded. Some side yards to be stone, as per grading conditions.
- Concrete front entry steps, as per grading conditions.
- Precast concrete slab walkway to front entry.
- Exterior cold water tap installed in attached garage and at rear of house, as per applicable model/elevation.
- Basement to be poured concrete with a drainage layer system and a damp protecting footing barrier membrane.
- Vendor will provide a two-coat asphalt driveway at a cost more particularly set out in the Schedule B to the Agreement of Purchase and Sale. Driveway surface to be paved with base coat asphalt within eighteen (18) months of closing and the topcoat to be completed within the next calendar year. Vendor not responsible for minor settlement.

- All exterior walls, interior partitions and flooring are built using H+ME Technology.

INTERIORS

- Semi, 33' and 38' model types to have approximately 9 ft. ceiling heights on the main floor and 8 ft. ceilings on second floor, except where precluded by bulkheads.
- Finished oak stairs and railings, metal pickets on main floor staircase to second floor with a choice of stain from vendor's standard selection.
- Two panel square style interior doors.
- 2 1/4" casings on all windows and doors
- 4 1/4" baseboards (with shoe mould in tiled and hardwood areas)
- All closets to have wire shelving.
- Satin nickel coloured finish hardware on all interior and exterior doors. Dead bolt on side door entry where applicable. Grip set with dead bolt on main entry door, and single lever handles on interior doors.
- One (1) paint colour throughout the house. All paint is Zero VOC.
- Sprayed stippled ceiling with smooth border in all rooms except the kitchen, bathrooms and laundry room, which are smooth finish.

FLOORING

- High performance engineered flooring system "I" – joists.
- O.S.B. tongue and groove sub floor glued, nailed, and sanded.
- 3" prefinished engineered strip hardwood flooring with choice of colour from vendors standard selection, in all areas of the main , second floor hallway and second floor family room / loft ,except where shown as tile, as per applicable model/elevation.
- 40 oz. broadloom carpet in all bedrooms, as per applicable model/elevation
- Floor tile approx. 12" x 24" in foyer, and all bathrooms, or as shown on applicable model/elevation. Laundry area to be tiled.

KITCHEN

- Choice of finished kitchen cabinets with a dishwasher opening.
- Single lever chrome high efficiency faucet with a pull-down sprayer.
- 2cm engineered quartz countertops for kitchen with a square edge (no backsplash) and a double stainless steel undermount sink.
- Stainless Steel ducted range hood fan over stove.
- Rough-in plumbing and completed electrical outlet for dishwasher.
- Wiring and receptacle for stove.
- Electrical outlets are located for fridge and at counter level for small appliances.

BATH/PLUMBING

- Choice of vanity cabinets and laminate countertops with a white oval drop-in sink in all bathrooms.
- All bathroom(s) to have a wall-mounted mirror and vanity cabinet as per applicable model / elevation.
- Ensuite bathroom to have a wall mounted mirror and vanity cabinet with one top drawer as per applicable model/elevation.

- Master ensuite bathroom for 33 ft and 38 ft models to include a white drop-in acrylic soaker tub with a deck mount faucet as per applicable model. Soaker tub to have a tiled deck and skirt with tile on surrounding wall approximately 18" in height.

- Master ensuite bathroom for Semis to have a 30" x 60" preformed shower base with framed glass shower enclosure, walls to be tiled to ceiling, per applicable model/elevation, including waterproof pot light.
- Master ensuite bathroom for 33 ft and 38 ft models to be 36" x 48" and contain a separate framed glass shower enclosure, preformed shower base, walls to be tiled to ceiling, per applicable model/elevation, including waterproof pot light.
- All secondary bathtub enclosure walls in bathrooms to be tiled.

- All secondary bathtubs to be white acrylic, as per applicable model/elevation.

- High efficiency toilets are to be white and regular hieght.
- Exhaust fan in all bathrooms, vented to the exterior.
- Privacy locks on all bathroom doors.
- Single lever chrome high efficiency faucets on all sinks, with low flow efficiency, except laundry tub.
- Temperature control valves in all showers.

- Chrome towel bar and toilet paper dispenser in all bathrooms.

- Main floor powder room to contain a floating vanity cabinet with laminate countertop, a white oval drop-in sink, toilet and wall-mounted mirror.
- Shut off valves for all sinks and toilets.
- All water lines to be polyethylene tubing throughout.
- Rough-in three-piece plumbing in basement for future bathroom (drains only, no water lines).
- Sump pump provided in all basements.

LAUNDRY

- Second floor laundry room equipped with floor drain as per applicable model/elevation.
- Laundry room to have a laundry tub only ,with a two-handle laundry faucet , as per applicable model/ elevation.
- Plumbing and electrical outlet for future washing machine.
- Dryer vent and electrical outlet for future dryer.

ELECTRICAL

- 200 amp. electrical service.
- Copper electrical wiring throughout.
- Electric light fixtures with LED bulbs provided in all rooms except living room, as per applicable model/elevation.
- Exterior cast aluminium lights with LED bulbs at all exterior doors, as per applicable model/elevation.
- Two exterior waterproof ground fault circuit Interrupter (GFI) electrical outlets: one (1) at the rear of the house and one (1) in the porch area.
- White decora style switches throughout.
- Electrical outlet for future garage door opener(s). One outlet for each garage door.
- Smoke detectors with strobe light hard wired to the electrical system, as per applicable code requirements.

- Combination smoke detector / carbon monoxide detector hard wired to the electrical system, as per applicable code requirements.

- Doorbells to be installed at front entry /side entry doors as per applicable model.

- Rough-in vacuum system, located in the basement for future connection as per applicable model/elevation.

- Rough-in RG6 cable in family room, master bedroom, loft and study/den, as per applicable model/elevation.

- Rough-in CAT5 telephone as per Vendor's specifications (one in kitchen, family room, all bedrooms, and den /loft).

- Rough-in conduit for future installation of an electric vehicle charger located in the garage.

- A single ground fault interrupter (GFI) protected electrical outlet in all bathrooms.

HEATING, AIR CONDITIONING & INSULATION

- Direct vent gas-fired high-efficiency forced air furnace with ECM (Electronically Commutated Motor) and includes a programmable thermostat installed. Hot water heater on a rental basis. Note: All mechanical equipment locations may vary from plan.

- Heat Recovery Ventilator (HRV) as per the Ontario Building Code requirements

- HVAC ducts are sized for future addition of air conditioning.

- All insulation to be as per the Ontario Building Code requirements.

- Basement insulation to be installed to within approximately 8" above the basement slab in the basement area. Note: Basement walls are not strapped.

- Spray foam insulation to garage ceiling below any habitable space above.

GENERAL PROVISIONS

- The Purchaser hereby acknowledges and agrees that due to grading, drainage, building code requirements or other conditions or issues, the Vendor, in its sole discretion, may make changes to modify the floorplan, add and/or eliminate doors or steps without adjustment to the purchase price and without further notice to the Purchaser, including without limitation:

- Eliminating the door between the garage and the laundry/utility room;

- Eliminating the side door;

- Installing step(s) with or without a railing in the garage due to different grading may interfere with or limit the use of the interior of the garage;

- Lowering or creating a step down into the laundry/ utility room to accommodate the garage door and/or side door to the laundry/utility room;

- Installing a deck depending upon the grading requirements for that particular lot;

- Entry steps may be required, varied, and/or eliminated to the house due to grading conditions.

- The Purchaser acknowledges that finishing materials contained in any model home or sales office display including but not limited to, broadloom, furniture, electrical fixtures, drapes, ceramic flooring, upgrades kitchen cabinets, stained staircases, railing, wallpaper, paint, landscaping and fencing, may be for display purposes only and may not be of the same grade or type, or may not be included in the dwelling unit purchased herein.

- Interior design consultation at The Design Studio on all finishes and colour packages included in purchase price. All interior floor, wall finishes and materials are to be chosen with the assistance of the Vendors Interior Design Consultant. All materials and other selections for which the Purchaser is entitled to make a selection are to be chosen from Vendors samples, and are as per Vendor's specifications. Purchaser shall only be entitled to make such selections provided that the items are not already ordered or installed.

- References to model types or model numbers refer to current manufacturer's models. If these types or models shall change, the Vendor shall provide a product of equal or better quality.

- All dimensions, if any, are approximate, and are subject to change without notice.

- All specifications and materials are subject to change without notice.

- Pursuant to this Agreement, including this Schedule or pursuant to a supplementary agreement or purchaser order, the Purchaser may have requested the Vendor to construct an additional feature within the dwelling unit which is in the nature of an optional extra (such as, by way of example only, a media station).

- If, as a result of building, construction or site conditions, the Vendor is not able to construct or does not construct such extra, then the Vendor may, by written notice to the Purchaser, terminate the Vendor's obligation to construct the extra. In such event, the Vendor shall refund to the Purchaser the monies, if any, paid by the Purchaser to the Vendor in respect of such extra, without interest and in all other respects this Agreement shall continue in full force and effect.

- Floor and specific features will depend on the Vendor's package as selected.

- Unless specifically provided for in the purchase agreement, kitchen and laundry appliances, including without limitation, washer/dryer, stove, dishwasher and refrigerator, are not included in the purchase price.
- Actual useable floor space may vary from stated floor area(s).
- Errors and Omissions Excepted
- This Schedule 'A' is subject to the terms and conditions of the Agreement, including Schedule 'B'.

 **GREAT GULF LIVE GREATLY**
greatgulf.com

BLM1A - Semis March 4, 2021

ALL ITEMS SHOWN ARE AS PER APPLICABLE MODEL. All materials and other selections for which the Purchaser is entitled to make a selection are to be chosen from Vendor's samples and are as per Vendor's specifications. All materials are subject to change without notice. Illustrations are artist's concept. E. & O.E. All plans and specifications are approximate. Actual usable floor space varies from stated floor area. Refer to Schedule A in Agreement of Purchase and Sale for full list of general provisions. Note: Actual usable floor space may vary from the stated floor area.